

CHHOTA OTTO







Ground Clearance
260 mm



Payload Capacity
400 kg



Battery (Fixed & Swappable)
5.04 Kwh



Independent Suspension
Lowers Toppling Risk



Frame Body
Metal



Brakes
Hydraulic Brakes



Adaptability
**One Passenger
Side Foldable Seat**



Top Speed
25 kmph




Handle Bar
Ergonomic Design



Ideal City Range
100 kms



Gradeability
7%



Motor
1 kW




Multilink Fork
**Strenght and
Driving Stability**



Charging Time
2.5 to 4 hours




Max. Torque
26 Nm




Safety
First

Long-Lasting
Performance



Comfort-Focused
Design

Adaptability



- Overall Length : 2766 mm
- Overall Width : 990 mm
- Overall Height : 1720 mm
- Ground Clearance : 260 mm
- Tyre Size : R12
- Wheel Track : 890 mm
- Wheelbase : 2160 mm

- The Chhota Otto features a **hydraulically actuated drum brake system** along with a mechanical hand brake for enhanced safety.
- It is equipped with a **multilink fork** and independent suspension, ensuring a smooth and stable ride.
- It comes with a **fully built chassis** and a **foldable passenger seat** that makes the vehicle suitable for both passenger and cargo needs.
- It offers a **4+1 seating arrangement** with extra legroom for both passengers and drivers.



About Evi

E-Vi, a Greenway Mobility brand, delivers robust and reliable electric three-wheelers designed and made in India for diverse transportation needs. With expert engineering and rigorous testing, E-Vi ensures superior performance, safety, and efficiency. E-Vi empowers journeys with innovation, reliability, and sustainability, driving a cleaner, greener future for India.



Contact us at:

+91-9974418099
marketing@greenwaymobility.com
www.greenwaymobility.com
www.evimobility.com

Find us at:

[linkedin.com/company/greenway-mobility](https://www.linkedin.com/company/greenway-mobility)
[linkedin.com/company/greenway-evi](https://www.linkedin.com/company/greenway-evi)